

Smart Interactive Display

MW3586-T-Y1



Specifications

Model	MW3586-T-Y1
Display	
Screen Size	86 inches
Backlight	DLED
Pixel Pitch(mm)	0.493 x 0.493mm
Resolution	3840*2160
Brightnes(cd/m ²)	350
Contrast	1200:1
Response Time(ms)	8
Color	1.07B
Viewing Angle	Horizontal 178°, Vertical 178°
View Area(W*H)	1895.04mm(L)*1065.96mm(H)
Android System	
RAM	8G
ROM	128G
CPU	A73*4(2.28GHZ)+ A53*4(2.0GHZ)
OS	Android 13.0
Touch	

Sensing Type	Infrared Touch Frame, support 20 touch points
Glass	4mm tempered glass, level 7 on Mohs hardness scale, anti-glare
Touch Accuracy (mm)	±2
Response Time (ms)	≤8
Recognizable object (mm)	2
Touchscreen input	Opaque objects (e.g. finger, pen, etc.)
Support System	Windows10/Windows8/Windows7/Windows XP/Android/Linux/Mac OS X/Chrome
Interface	
Video Input	3 x HDMI IN 1 x DP IN 1 x VGA IN
Video Output	1 x HDMI OUT
Audio Input	1 x MIC IN, 3.5mm interface 1 x VGA AUDIO IN
Audio Output	1 x Line OUT, 3.5mm interface 1 x COAX OUT
Other Interfaces	5 x USB3.0、2 x USB 2.0、2 x Type C、3 x Touch USB、1 x RS232、1 x USB 2.0 OTG、1 x TF
Network	2 x RJ45, supports 10M/100M Base-T self-adaptive
Camera & Microphone	
Pixel	48MP Android: Pixel 13MP for Photos & 8MP for Video Windows: Pixel 48MP for Photos & 48MP for Video
viewing angle	D=118.3° , H=99.2° , V=69.7°
Microphone array	8
Pickup distance	8
Smart function	Auto Framing; Speaker Tracking;
Speaker	
Speaker	2*20W+20W
Channel	2.1
NFC	
NFC	Support screen mirroring by Android phones
Bluetooth	
Version	5.0
Dual-module WIFI6	
Version	Wifi : 802.11 b/g/n AP : 802.11 a/b/g/n/ac
Working Frequency	2.4GHz/5GHz
Working Distance(m)	0~12
General	
Power Supply	AC90V to AC264V

Overall power consumption (W)	≤285 (without OPS)
Consumption(W)	≤0.5(Standby)
Operation Temperature	0°C~40 °C
Operating Humidity	10%~80% (No Condensation)
Storage Temperature	-20~60°C
Storage Humidity	10%~90%(No-condensing)
Product Size(W*H*D) (mm)	1953.2*1166*115.8
Packing Size(W*H*D)(mm)	2086*1291*220
Weight(kg)	Net Weight:58 Gross Weight:79
Accessory	
Standard	2*Touch Pen、 1*Wall Mount、 1*power cord、 1*quick guide、 1*Remote control、

Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.